


# Federico




## High Bookcase

Model numbers 118-626/27/28/29/30/31

W1515 H1805 D360







30-60 mins



## items

Total cartons = 4 SKU's 9 cartons



## hardware



Item A - 20 x M6\*10 (8 in Carton 1 - Part 1, 12 in carton 2 - Part 1)



Item B - 12 x M4\*25 (4 in Carton 1 - Part 1, 8 in Carton 2 - Part 1)



Item C - 12 x self tapping screws (6 in Carton 1 - Part 1, 6 in Carton 2 - Part 1)




Item D - Allen Key (Carton 1, Part 1)




Item E - Plastic suckers (Carton 1 & 2 - Part 2)

## assembly stage 1




Place one of the side frames on the floor with the connections facing upwards. Then add the numbered horizontals into the matching number fixture on the side frame.




Once they are fixed in place position the other half of the side frame above and locate onto the four rails with the rest of ITEM A. You maybe need a mallet for this stage.


## assembly stage 2



Place one of the extension side frames on the floor with the connections facing upwards. Then add the numbered horizontals into the matching number fixture on the side frame.




Once they are fixed in place position the other half of the extension side frame above and locate onto the four rails with the rest of ITEM A. You maybe need a mallet for this stage.




Position top frame over extension frame and slide into place

assembly stage 3



Position the extension frame and slot into the top of the base frame

assembly stage 4



Item B




Item C




assembly stage 5

Item E





1. Place silicon glass supports **E** into frame
2. Carefully lower and position glass onto silicon supports




## Wall Fixing

It is strongly recommended that you use the fixing strap provided to secure the furniture item to the wall to avoid accidental tipping on uneven floors or from improper use.



F1



F3



F2





F4



F5


1.

- Attach 1 x bracket A to the top rear of the furniture frame



2.

- Make a mark on the wall approximately 2.5cm below bracket **F1** that is installed on the furniture.
- Attach the second bracket **F1** to the wall on this mark so it lines up vertically with the bracket on the furniture.
- To fix the bracket to the wall first drill 2 x 5mm holes into the wall at the mark using the bracket as a template for the hole position.
- Insert the plastic plugs **F3** into the holes in the wall and tap lightly with a hammer until they are seated flush.
- Attach the bracket A to the plastic plugs with long screws **F5**.



3.

- Move the furniture into position and line up the bracket **F1** on the furniture with the bracket **F1** on the wall.
- Thread strap **F2** through the brackets as shown.
- Pull strap to secure but do not over-tighten

