

# IONA Hourglass Side Table

Assembly instructions




Basic  20-30 Minutes




## Parts

**Carton 1**




**Top**

**Carton 2**




**Finishing Plate – Brass, Matt black or white**

**Carton 3**



**Connecting Plate – Brass, Matt black or White**

**Carton 4/5**



**Base x 2 – Brass, Matt black or White**

## Hardware



**Item A** - 2 x Threaded rod (33cm)



**Item B** - 1 x Rod connector nut (x 1 Spare)



**Item C** - 1 x Locking Nut (x 1 Spare)



**Item D** - 8 x Felt feet (x 2 Spare)




**Item E** - 1 x Spanner (Tube shaped)

## Assembly Stages

### Stage 1

Lay the top upside down so the central fixing point is facing upwards. Take one of the threaded rods (**Item A x 1**) and screw this into the fixing point on the top until tight.


Take the **Finishing plate (Carton 2)** and place it over the fixture on the top as pictured below.



### Stage 2


Next you need to extend the threaded rod using **Item A (x1)** and **item B**.

Screw half of the **Connector nut (Item B)** onto the threaded rod inside of the Inverted cone. Then screw the other **Threaded rod (Item A)** into the rest of the connector nut.



#### Stage 4

Once the rod has been extended you now carefully slide the remaining components over the rod like diagrammed below. Please make sure the locking teeth on the Bases align up with the matching slots on the connecting plate.



#### Stage 5

Once all the components have dropped into place and locking teeth are aligned you can now use the **locking nut (ITEM C)** and **Spanner (ITEM E)** to tighten them all together. Once the bolt is tight you can stick down the Felt feet and turn the table over. **Complete.**

